

C&D TECHNOLOGIES, INC.
HAZMAT TABLE: LEAD WEIGHT & ACID CONTENT per CELL TYPES

| Product Line | Model | # of Cells per unit | Specific Gravity | Lead Weight per Cell (Lbs) | Electrolyte Weight per Cell (Lbs) | Pure Sulfuric Acid Weight per Cell (Lbs) | Electrolyte Volume per Cell (Gal) |
|---|---------------|---------------------|------------------|----------------------------|-----------------------------------|--|-----------------------------------|
| <i>Note: Discontinued Models are located in as separate file: 'Hazmat Table: Discontinued C&D Products'</i> | | | | | | | |
| VRLA PRODUCTS | | | | | | | |
| Liberty 1000 | LS12-55 | 6 | 1.300 | 6 | 2.0 | 0.8 | 0.2 |
| Liberty 1000 | LS12-80 | 6 | 1.300 | 10 | 2.5 | 1.0 | 0.2 |
| Liberty 1000 | LS12-100 | 6 | 1.300 | 11 | 3.1 | 1.2 | 0.3 |
| Liberty 1000 | LS2-600 | 1 | 1.300 | 68 | 18.1 | 7.2 | 1.7 |
| Liberty 1000 | LS4-300 | 2 | 1.300 | 34 | 9.1 | 3.6 | 0.8 |
| Liberty 1000 | LS6-125 | 3 | 1.300 | 13 | 3.7 | 1.5 | 0.3 |
| Liberty 1000 | LS6-200 | 3 | 1.300 | 23 | 6.1 | 2.4 | 0.6 |
| Liberty 1000 Front Access | FAM12-100 | 6 | 1.300 | 10 | 2.7 | 1.1 | 0.3 |
| Liberty 1000 Front Access | FAM12-150 | 6 | 1.300 | 14 | 4.6 | 1.8 | 0.4 |
| Broadband | BBG85GXL | 6 | 1.325 | 5 | 1.2 | 0.5 | 0.1 |
| Broadband | BBA160 | 6 | 1.300 | 8 | 2.1 | 0.8 | 0.2 |
| Broadband | BBG165GXL | 6 | 1.300 | 8 | 2.1 | 0.9 | 0.2 |
| Broadband | BBG165RT | 6 | 1.325 | 8 | 2.1 | 0.9 | 0.2 |
| Broadband | BBG180GXL | 6 | 1.325 | 8 | 2.7 | 1.1 | 0.2 |
| Broadband | BBG180RT | 6 | 1.325 | 8 | 2.7 | 1.1 | 0.2 |
| Deep Cycle | DCS 33 | 6 | 1.300 | 3.3 | 0.8 | 0.3 | 0.1 |
| Deep Cycle | DCS 50 | 6 | 1.300 | 5.0 | 1.2 | 0.5 | 0.1 |
| Deep Cycle | DCS 75 | 6 | 1.300 | 7.0 | 1.8 | 0.7 | 0.2 |
| Deep Cycle | DCS 88 | 6 | 1.300 | 8.2 | 2.1 | 0.8 | 0.2 |
| Deep Cycle | DCS 100 | 6 | 1.300 | 8.3 | 2.3 | 0.9 | 0.2 |
| Multi Purpose | MPS12-33 | 6 | 1.300 | 3.4 | 0.8 | 0.3 | 0.1 |
| Multi Purpose | MPS12-50 | 6 | 1.300 | 5.0 | 1.2 | 0.5 | 0.1 |
| Multi Purpose | MPS12-75 | 6 | 1.300 | 6.8 | 1.8 | 0.7 | 0.2 |
| Multi Purpose | MPS12-88 | 6 | 1.300 | 8.0 | 2.1 | 0.8 | 0.2 |
| Multi Purpose | MPS12-100 | 6 | 1.300 | 8.8 | 2.3 | 0.9 | 0.2 |
| TEL-series | TEL12-30 | 6 | 1.300 | 3.4 | 0.8 | 0.3 | 0.1 |
| TEL-series | TEL12-45 | 6 | 1.300 | 5.2 | 1.2 | 0.5 | 0.1 |
| TEL-series | TEL12-70 | 6 | 1.300 | 6.9 | 1.8 | 0.7 | 0.2 |
| TEL-series | TEL12-80 | 6 | 1.300 | 8.2 | 2.1 | 0.8 | 0.2 |
| TEL-series | TEL12-90 | 6 | 1.300 | 9.2 | 2.2 | 0.9 | 0.2 |
| TEL-series | TEL6-180 | 3 | 1.300 | 18.0 | 4.4 | 1.7 | 0.4 |
| TEL-series | TEL12-125 | 6 | 1.300 | 12.9 | 3.2 | 1.3 | 0.3 |
| TEL-series | TEL12-105FS | 6 | 1.300 | 9.8 | 2.6 | 1.0 | 0.2 |
| C&D True FA - TEL | TEL12-160FW | 6 | 1.320 | 13.9 | 4.1 | 1.7 | 0.4 |
| C&D True FA - TEL | TEL12-160F | 6 | 1.320 | 13.0 | 3.9 | 1.6 | 0.4 |
| C&D True FA - TEL | TEL12-180F | 6 | 1.320 | 15.0 | 4.6 | 1.9 | 0.4 |
| UPS High Rate Max | UPS12-100MR | 6 | 1.310 | 2.6 | 0.7 | 0.3 | 0.1 |
| UPS High Rate Max | UPS12-150MR | 6 | 1.310 | 3.5 | 0.7 | 0.3 | 0.1 |
| UPS High Rate Max | UPS12-210MR | 6 | 1.310 | 5.0 | 1.2 | 0.5 | 0.1 |
| UPS High Rate Max | UPS12-300MR | 6 | 1.310 | 7.1 | 1.8 | 0.7 | 0.2 |
| UPS High Rate Max | UPS12-350MR | 6 | 1.310 | 8.2 | 2.1 | 0.8 | 0.2 |
| UPS High Rate Max | UPS12-400MR | 6 | 1.310 | 9.2 | 2.3 | 0.9 | 0.2 |
| UPS High Rate Max | UPS12-490MRLP | 6 | 1.325 | 10.4 | 2.4 | 1.0 | 0.2 |
| UPS High Rate Max | UPS12-490MR | 6 | 1.310 | 12.4 | 3.2 | 1.3 | 0.3 |
| UPS High Rate Max | UPS12-540MR | 6 | 1.310 | 12.7 | 3.2 | 1.3 | 0.3 |
| UPS High Rate Max | UPS6-620MR | 3 | 1.310 | 17.0 | 4.5 | 1.8 | 0.4 |
| UPS HRM - Dynasty True FA | UPS12-700MRF | 6 | 1.320 | 17.2 | 4.2 | 1.7 | 0.4 |
| UPS High Rate Max XT | UPS12-100MRX | 6 | 1.320 | 2.6 | 0.9 | 0.4 | 0.1 |
| UPS High Rate Max XT | UPS12-130MRX | 6 | 1.320 | 2.9 | 0.8 | 0.3 | 0.1 |
| UPS High Rate Max XT | UPS12-150MRX | 6 | 1.320 | 3.3 | 0.8 | 0.3 | 0.1 |
| UPS High Rate Max XT | UPS12-200MRX | 6 | 1.320 | 4.5 | 1.3 | 0.5 | 0.1 |
| UPS High Rate Max XT | UPS12-220MRX | 6 | 1.320 | 5.1 | 1.2 | 0.5 | 0.1 |

Hazardous Materials Quantities

| Product Line | Model | # of Cells per unit | Specific Gravity | Lead Weight per Cell (Lbs) | Electrolyte Weight per Cell (Lbs) | Pure Sulfuric Acid Weight per Cell (Lbs) | Electrolyte Volume per Cell (Gal) |
|-------------------------|--------------|---------------------|------------------|----------------------------|-----------------------------------|--|-----------------------------------|
| UPS High Rate Max XT | UPS12-280MRX | 6 | 1.320 | 6.5 | 1.9 | 0.8 | 0.2 |
| UPS High Rate Max XT | UPS12-320MRX | 6 | 1.320 | 7.1 | 1.8 | 0.7 | 0.2 |
| UPS High Rate Max XT | UPS12-370MRX | 6 | 1.320 | 8.3 | 2.1 | 0.9 | 0.2 |
| UPS High Rate Max XT | UPS12-400MRX | 6 | 1.320 | 9.2 | 2.5 | 1.1 | 0.2 |
| UPS High Rate Max XT | UPS12-440MRX | 6 | 1.320 | 9.5 | 2.5 | 1.0 | 0.2 |
| UPS High Rate Max XT | UPS12-475MRX | 6 | 1.320 | 10.3 | 2.4 | 1.0 | 0.2 |
| UPS High Rate Max XT | UPS12-490MRX | 6 | 1.320 | 11.9 | 3.5 | 1.5 | 0.3 |
| UPS High Rate Max XT | UPS12-520MRX | 6 | 1.320 | 12.4 | 3.3 | 1.4 | 0.3 |
| UPS High Rate Max XT | UPS12-550MRX | 6 | 1.320 | 12.8 | 3.4 | 1.4 | 0.3 |
| UPS High Rate Max XT | UPS12-600MRX | 6 | 1.320 | 13.3 | 3.2 | 1.4 | 0.3 |
| MSE | MSE-960 | 1 | 1.310 | 93 | 31.0 | 12.6 | 2.8 |
| MSE | MSE-1040 | 1 | 1.310 | 100 | 31.8 | 13.0 | 2.9 |
| MSE | MSE-1120 | 1 | 1.310 | 108 | 35.9 | 14.6 | 3.3 |
| MSE | MSE-1200 | 1 | 1.310 | 115 | 36.5 | 14.9 | 3.3 |
| MSE | MSE-1360 | 1 | 1.310 | 130 | 43.5 | 17.7 | 4.0 |
| MSE | MSE-1440 | 1 | 1.310 | 137 | 44.5 | 18.1 | 4.1 |
| msEndur II | AT-07P | 1 | 1.300 | 33 | 13.6 | 5.4 | 1.2 |
| msEndur II | AT-09P | 1 | 1.300 | 43 | 17.5 | 6.9 | 1.6 |
| msEndur II | AT-11P | 1 | 1.300 | 53 | 21.5 | 8.5 | 1.9 |
| msEndur II | AT-13P | 1 | 1.300 | 64 | 25.9 | 10.2 | 2.2 |
| msEndur II | AT-15P | 1 | 1.300 | 82 | 29.8 | 11.8 | 2.7 |
| msEndur II | AT-17P | 1 | 1.300 | 82 | 29.8 | 11.8 | 2.7 |
| msEndur II | AT-19P | 1 | 1.300 | 102 | 37.6 | 14.9 | 3.4 |
| msEndur II | AT-21P | 1 | 1.300 | 102 | 37.6 | 14.9 | 3.4 |
| msEndur II | AT-23P | 1 | 1.300 | 122 | 44.9 | 17.7 | 4.1 |
| msEndur II | AT-25P | 1 | 1.300 | 122 | 44.9 | 17.7 | 4.1 |
| msEndur II | AT-27P | 1 | 1.300 | 140 | 51.9 | 20.5 | 4.7 |
| msEndur II | AT-29P | 1 | 1.300 | 140 | 51.9 | 20.5 | 4.7 |
| msEndur II | AT-35P | 1 | 1.300 | 190 | 70.1 | 27.7 | 6.3 |
| msEndur II | AT-39P | 1 | 1.300 | 190 | 70.1 | 27.7 | 6.3 |
| msEndur II | ATL-07P | 1 | 1.250 | 33 | 12.8 | 5.1 | 1.2 |
| msEndur II | ATL-09P | 1 | 1.250 | 43 | 16.5 | 6.5 | 1.6 |
| msEndur II | ATL-11P | 1 | 1.250 | 53 | 20.2 | 8.0 | 1.9 |
| msEndur II | ATL-13P | 1 | 1.250 | 64 | 22.9 | 7.8 | 2.2 |
| msEndur II | ATL-15P | 1 | 1.250 | 82 | 28.1 | 9.5 | 2.7 |
| msEndur II | ATL-17P | 1 | 1.250 | 82 | 28.1 | 9.5 | 2.7 |
| msEndur II | ATL-19P | 1 | 1.250 | 102 | 35.5 | 12.0 | 3.4 |
| msEndur II | ATL-21P | 1 | 1.250 | 102 | 35.5 | 12.0 | 3.4 |
| msEndur II | ATL-23P | 1 | 1.250 | 122 | 42.3 | 14.3 | 4.1 |
| msEndur II | ATL-25P | 1 | 1.250 | 122 | 42.3 | 14.3 | 4.1 |
| msEndur II | ATL-27P | 1 | 1.250 | 140 | 48.9 | 16.5 | 4.7 |
| msEndur II | ATL-29P | 1 | 1.250 | 140 | 48.9 | 16.5 | 4.7 |
| msEndur II | ATL-35P | 1 | 1.250 | 190 | 66.0 | 22.3 | 6.3 |
| msEndur II | ATL-39P | 1 | 1.250 | 190 | 66.0 | 22.3 | 6.3 |
| VR Solar | VRS12-33 | 6 | 1.300 | 3.3 | 0.8 | 0.3 | 0.1 |
| VR Solar | VRS12-50 | 6 | 1.300 | 5.0 | 1.2 | 0.5 | 0.1 |
| VR Solar | VRS12-75 | 6 | 1.300 | 7.0 | 1.8 | 0.7 | 0.2 |
| VR Solar | VRS12-88 | 6 | 1.300 | 8.2 | 2.1 | 0.8 | 0.2 |
| VR Solar | VRS12-100 | 6 | 1.300 | 8.3 | 2.3 | 0.9 | 0.2 |
| FLOODED PRODUCTS | | | | | | | |
| CPV | CPV1330 | 1 | 1.285 | 126 | 31.7 | 12.0 | 3.0 |
| CPV | CPV1440 | 1 | 1.285 | 136 | 34.2 | 13.0 | 3.2 |
| CPV | CPV1660 | 1 | 1.285 | 154 | 39.3 | 14.9 | 3.7 |
| CPV | CPV1770 | 1 | 1.285 | 159 | 45.9 | 17.4 | 4.3 |
| CPV | CPV2030 | 1 | 1.285 | 193 | 48.2 | 18.3 | 4.5 |
| CPV | CPV2190 | 1 | 1.285 | 206 | 51.7 | 19.7 | 4.8 |
| CPV | CPV2340 | 1 | 1.285 | 220 | 55.3 | 21.0 | 5.2 |
| CPV | CPV2500 | 1 | 1.285 | 233 | 58.9 | 22.4 | 5.5 |
| DCU | 3DCU- 5 | 3 | 1.215 | 7 | 2.8 | 0.8 | 0.3 |
| DCU | 3DCU- 7 | 3 | 1.215 | 10 | 5.8 | 1.7 | 0.6 |

Hazardous Materials Quantities

| Product Line | Model | # of Cells per unit | Specific Gravity | Lead Weight per Cell (Lbs) | Electrolyte Weight per Cell (Lbs) | Pure Sulfuric Acid Weight per Cell (Lbs) | Electrolyte Volume per Cell (Gal) |
|--------------|---------------|---------------------|------------------|----------------------------|-----------------------------------|--|-----------------------------------|
| DCU | 3DCU- 9 | 3 | 1.215 | 13 | 5.3 | 1.6 | 0.5 |
| DCU | 3DCU-11 | 3 | 1.215 | 16 | 5.8 | 1.7 | 0.6 |
| DCU | DCU-13 | 1 | 1.215 | 20 | 12.5 | 3.7 | 1.2 |
| DCU | DCU-17 | 1 | 1.215 | 26 | 10.5 | 3.1 | 1.0 |
| DJ | 3DJ-110 | 3 | 1.215 | 22 | 12.3 | 3.7 | 1.2 |
| DJ | 3DJ-155 | 3 | 1.215 | 29 | 10.9 | 3.2 | 1.1 |
| DJ | 3DJ-200 | 3 | 1.215 | 37 | 9.5 | 2.8 | 1.0 |
| JC | 4JC- 50 | 4 | 1.215 | 7 | 8.3 | 2.4 | 0.8 |
| JC | 4JC-100 | 4 | 1.215 | 12 | 7.1 | 2.1 | 0.7 |
| JC | 4JC-150 | 4 | 1.215 | 16 | 6.0 | 1.8 | 0.6 |
| JC | 2JC-200 | 2 | 1.215 | 24 | 14.3 | 4.2 | 1.4 |
| JC | 2JC-300 | 2 | 1.215 | 33 | 12.0 | 3.5 | 1.2 |
| KCR | KCR- 5 | 1 | 1.215 | 27 | 12.0 | 3.5 | 1.2 |
| KCR | KCR- 7 | 1 | 1.215 | 36 | 15.0 | 4.4 | 1.5 |
| KCR | KCR- 9 | 1 | 1.215 | 46 | 20.0 | 5.9 | 2.0 |
| KCR | KCR-11 | 1 | 1.215 | 56 | 19.0 | 5.6 | 1.9 |
| KCR | KCR-13 | 1 | 1.215 | 66 | 23.0 | 6.8 | 2.3 |
| KCR | KCR-15 | 1 | 1.215 | 75 | 28.0 | 8.3 | 2.8 |
| KCR | KCR-17 | 1 | 1.215 | 85 | 39.0 | 11.5 | 3.8 |
| KCR | KCR-19 | 1 | 1.215 | 94 | 38.0 | 11.2 | 3.7 |
| KCR | KCR-21 | 1 | 1.215 | 104 | 36.0 | 10.6 | 3.6 |
| KCT | KCT-270 | 1 | 1.215 | 37 | 15.0 | 4.4 | 1.5 |
| KCT | KCT-360 | 1 | 1.215 | 47 | 20.0 | 5.9 | 2.0 |
| KCT | KCT-450 | 1 | 1.215 | 57 | 25.0 | 7.4 | 2.5 |
| KCT | KCT-540 | 1 | 1.215 | 67 | 29.0 | 8.6 | 2.9 |
| KCT | KCT-660 | 1 | 1.215 | 77 | 40.0 | 11.8 | 3.9 |
| KCT | KCT-720 | 1 | 1.215 | 87 | 38.0 | 11.2 | 3.7 |
| LCR | 2LCR-13 | 2 | 1.215 | 112 | 55.0 | 16.3 | 5.4 |
| LCR | LCR-13 | 1 | 1.215 | 120 | 65.0 | 19.2 | 6.4 |
| LCR | 2LCR-15 | 2 | 1.215 | 130 | 52.0 | 15.4 | 5.1 |
| LCR | LCR-15 | 1 | 1.215 | 138 | 60.0 | 17.7 | 5.9 |
| LCR | LCR-17 | 1 | 1.215 | 155 | 58.0 | 17.1 | 5.7 |
| LCR | LCR-19 | 1 | 1.215 | 173 | 70.0 | 20.7 | 6.9 |
| LCR | LCR-21 | 1 | 1.215 | 191 | 67.0 | 19.8 | 6.6 |
| LCR | LCR-23 | 1 | 1.215 | 208 | 84.0 | 24.8 | 8.3 |
| LCR | LCR-25 | 1 | 1.215 | 226 | 82.0 | 24.2 | 8.1 |
| LCR | LCR-27 | 1 | 1.215 | 244 | 98.0 | 29.0 | 9.7 |
| LCR | LCR-29 | 1 | 1.215 | 262 | 96.0 | 28.4 | 9.5 |
| LCR | LCR-31 | 1 | 1.215 | 280 | 94.0 | 27.8 | 9.3 |
| LCR | LCR-33 | 1 | 1.215 | 297 | 92.0 | 27.2 | 9.1 |
| LCT | 2LCT- 840 | 2 | 1.215 | 97 | 45.0 | 13.3 | 4.4 |
| LCT | LCT- 840 | 1 | 1.215 | 103 | 65.0 | 19.2 | 6.4 |
| LCT | LCT-1008 | 1 | 1.215 | 120 | 63.0 | 18.6 | 6.2 |
| LCT | LCT-1176 | 1 | 1.215 | 138 | 60.0 | 17.7 | 5.9 |
| LCT | LCT-1344 | 1 | 1.215 | 156 | 71.0 | 21.0 | 7.0 |
| LCT | LCT-1680 | 1 | 1.215 | 192 | 84.0 | 24.8 | 8.3 |
| LCT | LCT II - 1700 | 1 | 1.215 | 192 | 84.0 | 24.8 | 8.3 |
| LCT | LCT-1848 | 1 | 1.215 | 211 | 104.0 | 30.8 | 10.3 |
| LCT | LCT-2016 | 1 | 1.215 | 227 | 101.0 | 29.9 | 10.0 |
| LCT | LCT-2175 | 1 | 1.215 | 278 | 94.0 | 27.8 | 9.3 |
| LCT | LCT-2320 | 1 | 1.215 | 297 | 92.0 | 27.2 | 9.1 |
| LCT-HP | LCT-1680HP | 1 | 1.215 | 208 | 84.0 | 24.8 | 8.3 |
| LCT-HP | LCT-1805HP | 1 | 1.215 | 226 | 82.0 | 24.2 | 8.1 |
| LCY Swch | LCY-35 | 1 | 1.215 | 272 | 94.0 | 27.8 | 9.3 |
| LCY Swch | LCY-37 | 1 | 1.215 | 287 | 92.0 | 27.2 | 9.1 |
| LCY Swch | LCY-39 | 1 | 1.215 | 301 | 90.0 | 26.6 | 8.9 |
| LCY Swch | 4LCY- 5 | 4 | 1.215 | 39 | 20.0 | 5.9 | 2.0 |
| LCY Swch | 4LCYC- 5 | 4 | 1.250 | 39 | 20.5 | 6.9 | 2.0 |

Hazardous Materials Quantities

| Product Line | Model | # of Cells per unit | Specific Gravity | Lead Weight per Cell (Lbs) | Electrolyte Weight per Cell (Lbs) | Pure Sulfuric Acid Weight per Cell (Lbs) | Electrolyte Volume per Cell (Gal) |
|--------------|-----------|---------------------|------------------|----------------------------|-----------------------------------|--|-----------------------------------|
| LCY Swch | 4LCY- 7 | 4 | 1.215 | 54 | 18.0 | 5.3 | 1.8 |
| LCY Swch | 4LCYC- 7 | 4 | 1.250 | 54 | 18.6 | 6.3 | 1.8 |
| LCY Swch | 4LCY- 9 | 4 | 1.215 | 69 | 25.0 | 7.4 | 2.5 |
| LCY Swch | 4LCYC- 9 | 4 | 1.250 | 69 | 25.8 | 8.7 | 2.5 |
| LCY Swch | 4LCY-11 | 4 | 1.215 | 84 | 23.0 | 6.8 | 2.3 |
| LCY Swch | 4LCYC-11 | 4 | 1.250 | 84 | 23.7 | 8.0 | 2.3 |
| LCY Tele | 4LCY-290 | 4 | 1.215 | 38 | 20.0 | 5.9 | 2.0 |
| LCY Tele | 4LCY-420 | 4 | 1.215 | 53 | 18.0 | 5.3 | 1.8 |
| LCY Tele | 4LCY-544 | 4 | 1.215 | 68 | 25.0 | 7.4 | 2.5 |
| LCY Tele | 4LCY-660 | 4 | 1.215 | 83 | 23.0 | 6.8 | 2.3 |
| MCT II | MCT-3000 | 1 | 1.215 | 367 | 192.6 | 57.0 | 19.0 |
| MCT II | MCTC-3000 | 1 | 1.250 | 367 | 198.2 | 67.0 | 19.0 |
| MCT II | MCT-4000 | 1 | 1.215 | 481 | 152.1 | 45.0 | 15.0 |
| MCT II | MCTC-4000 | 1 | 1.250 | 481 | 156.5 | 52.9 | 15.0 |
| XDJ | 3XDJ-7 | 3 | 1.215 | 23 | 12.1 | 3.6 | 1.2 |
| XDJ | 3XDJ-9 | 3 | 1.215 | 30 | 10.7 | 3.2 | 1.1 |
| XDJ | 3XDJ-11 | 3 | 1.215 | 38 | 9.3 | 2.8 | 0.9 |
| XDJ | 3XDJC-7 | 3 | 1.250 | 23 | 12.4 | 4.2 | 1.2 |
| XDJ | 3XDJC-9 | 3 | 1.250 | 30 | 11.1 | 3.7 | 1.1 |
| XDJ | 3XDJC-11 | 3 | 1.250 | 38 | 9.6 | 3.2 | 0.9 |
| XT | XT4J-07 | 4 | 1.215 | 19 | 6.8 | 2.0 | 0.7 |
| XT | XT4J-09 | 4 | 1.215 | 23 | 6.3 | 1.9 | 0.6 |
| XT | XT4J-11 | 4 | 1.215 | 28 | 5.8 | 1.7 | 0.6 |
| XT | XT4L-07 | 4 | 1.215 | 48 | 15.0 | 4.4 | 1.5 |
| XT | XT4L-09 | 4 | 1.215 | 61 | 14.0 | 4.1 | 1.4 |
| XT | XT4L-11 | 4 | 1.215 | 71 | 22.0 | 6.5 | 2.2 |
| XT | XT4L-13 | 4 | 1.215 | 84 | 21.0 | 6.2 | 2.1 |
| XT | XT4L-15 | 4 | 1.215 | 97 | 20.0 | 5.9 | 2.0 |
| XT | XT2L-23 | 2 | 1.215 | 148 | 41.0 | 12.1 | 4.0 |
| XT | XT2L-25 | 2 | 1.215 | 161 | 40.0 | 11.8 | 3.9 |
| XT | XT1L-35 | 1 | 1.215 | 226 | 58.0 | 17.1 | 5.7 |
| XT | XT1L-37 | 1 | 1.215 | 238 | 56.0 | 16.6 | 5.5 |
| XT | XT1L-39 | 1 | 1.215 | 251 | 54.0 | 16.0 | 5.3 |
| XT | XT1L-41 | 1 | 1.215 | 264 | 52.0 | 15.4 | 5.1 |
| XT | XT1L-43 | 1 | 1.215 | 277 | 86.0 | 25.4 | 8.5 |
| XT | XT1L-45 | 1 | 1.215 | 290 | 84.0 | 24.8 | 8.3 |
| XT | XT1L-47 | 1 | 1.215 | 303 | 82.0 | 24.2 | 8.1 |
| XT | XT1L-49 | 1 | 1.215 | 315 | 80.0 | 23.7 | 7.9 |
| XT | XT1L-51 | 1 | 1.215 | 328 | 78.0 | 23.1 | 7.7 |
| XT | XT1L-53 | 1 | 1.215 | 341 | 76.0 | 22.5 | 7.5 |
| XT - Plus | XT4LP-07 | 4 | 1.215 | 48 | 15.0 | 4.4 | 1.5 |
| XT - Plus | XT4LP-09 | 4 | 1.215 | 61 | 14.0 | 4.1 | 1.4 |
| XT - Plus | XT4LP-11 | 4 | 1.215 | 71 | 22.0 | 6.5 | 2.2 |
| XT - Plus | XT4LP-13 | 4 | 1.215 | 84 | 21.0 | 6.2 | 2.1 |
| XT - Plus | XT4LP-15 | 4 | 1.215 | 97 | 20.0 | 5.9 | 2.0 |
| XT - Plus | XT2LP-23 | 2 | 1.215 | 148 | 41.0 | 12.1 | 4.0 |
| XT - Plus | XT2LP-25 | 2 | 1.215 | 161 | 40.0 | 11.8 | 3.9 |
| XT - Plus | XT1LP-35 | 1 | 1.215 | 226 | 58.0 | 17.1 | 5.7 |
| XT - Plus | XT1LP-37 | 1 | 1.215 | 238 | 56.0 | 16.6 | 5.5 |
| XT - Plus | XT1LP-39 | 1 | 1.215 | 251 | 54.0 | 16.0 | 5.3 |
| XT - Plus | XT1LP-41 | 1 | 1.215 | 264 | 52.0 | 15.4 | 5.1 |
| XT - Plus | XT1LP-43 | 1 | 1.215 | 277 | 86.0 | 25.4 | 8.5 |
| XT - Plus | XT1LP-45 | 1 | 1.215 | 290 | 84.0 | 24.8 | 8.3 |
| XT - Plus | XT1LP-47 | 1 | 1.215 | 303 | 82.0 | 24.2 | 8.1 |
| XT - Plus | XT1LP-49 | 1 | 1.215 | 315 | 80.0 | 23.7 | 7.9 |
| XT - Plus | XT1LP-51 | 1 | 1.215 | 328 | 78.0 | 23.1 | 7.7 |
| XT - Plus | XT1LP-53 | 1 | 1.215 | 341 | 76.0 | 22.5 | 7.5 |
| XTC | XT4JC-07 | 4 | 1.250 | 19 | 7.0 | 2.4 | 0.7 |
| XTC | XT4JC-09 | 4 | 1.250 | 23 | 6.5 | 2.2 | 0.6 |

Hazardous Materials Quantities

| Product Line | Model | # of Cells per unit | Specific Gravity | Lead Weight per Cell (Lbs) | Electrolyte Weight per Cell (Lbs) | Pure Sulfuric Acid Weight per Cell (Lbs) | Electrolyte Volume per Cell (Gal) |
|--------------|-----------|---------------------|------------------|----------------------------|-----------------------------------|--|-----------------------------------|
| XTC | XT4JC-11 | 4 | 1.250 | 28 | 6.0 | 2.0 | 0.6 |
| XTC | XT4LC-07 | 4 | 1.250 | 48 | 15.4 | 5.2 | 1.5 |
| XTC | XT4LC-09 | 4 | 1.250 | 61 | 14.4 | 4.9 | 1.4 |
| XTC | XT4LC-11 | 4 | 1.250 | 71 | 22.6 | 7.7 | 2.2 |
| XTC | XT4LC-13 | 4 | 1.250 | 84 | 21.6 | 7.3 | 2.1 |
| XTC | XT4LC-15 | 4 | 1.250 | 97 | 20.6 | 7.0 | 2.0 |
| XTC | XT2LC-23 | 2 | 1.250 | 148 | 42.2 | 14.3 | 4.0 |
| XTC | XT2LC-25 | 2 | 1.250 | 161 | 41.2 | 13.9 | 3.9 |
| XTC | XT1LC-35 | 1 | 1.250 | 226 | 59.7 | 20.2 | 5.7 |
| XTC | XT1LC-37 | 1 | 1.250 | 238 | 57.6 | 19.5 | 5.5 |
| XTC | XT1LC-39 | 1 | 1.250 | 251 | 55.6 | 18.8 | 5.3 |
| XTC | XT1LC-41 | 1 | 1.250 | 264 | 53.5 | 18.1 | 5.1 |
| XTC | XT1LC-43 | 1 | 1.250 | 277 | 88.5 | 29.9 | 8.5 |
| XTC | XT1LC-45 | 1 | 1.250 | 290 | 86.4 | 29.2 | 8.3 |
| XTC | XT1LC-47 | 1 | 1.250 | 303 | 84.4 | 28.5 | 8.1 |
| XTC | XT1LC-49 | 1 | 1.250 | 315 | 82.3 | 27.8 | 7.9 |
| XTC | XT1LC-51 | 1 | 1.250 | 328 | 80.2 | 27.1 | 7.7 |
| XTC | XT1LC-53 | 1 | 1.250 | 341 | 78.2 | 26.4 | 7.5 |
| XTC - Plus | XT4LCP-07 | 4 | 1.250 | 48 | 15.4 | 5.2 | 1.5 |
| XTC - Plus | XT4LCP-09 | 4 | 1.250 | 61 | 14.4 | 4.9 | 1.4 |
| XTC - Plus | XT4LCP-11 | 4 | 1.250 | 71 | 22.6 | 7.7 | 2.2 |
| XTC - Plus | XT4LCP-13 | 4 | 1.250 | 84 | 21.6 | 7.3 | 2.1 |
| XTC - Plus | XT4LCP-15 | 4 | 1.250 | 97 | 20.6 | 7.0 | 2.0 |
| XTC - Plus | XT2LCP-23 | 2 | 1.250 | 148 | 42.2 | 14.3 | 4.0 |
| XTC - Plus | XT2LCP-25 | 2 | 1.250 | 161 | 41.2 | 13.9 | 3.9 |
| XTC - Plus | XT1LCP-35 | 1 | 1.250 | 226 | 59.7 | 20.2 | 5.7 |
| XTC - Plus | XT1LCP-37 | 1 | 1.250 | 238 | 57.6 | 19.5 | 5.5 |
| XTC - Plus | XT1LCP-39 | 1 | 1.250 | 251 | 55.6 | 18.8 | 5.3 |
| XTC - Plus | XT1LCP-41 | 1 | 1.250 | 264 | 53.5 | 18.1 | 5.1 |
| XTC - Plus | XT1LCP-43 | 1 | 1.250 | 277 | 88.5 | 29.9 | 8.5 |
| XTC - Plus | XT1LCP-45 | 1 | 1.250 | 290 | 86.4 | 29.2 | 8.3 |
| XTC - Plus | XT1LCP-47 | 1 | 1.250 | 303 | 84.4 | 28.5 | 8.1 |
| XTC - Plus | XT1LCP-49 | 1 | 1.250 | 315 | 82.3 | 27.8 | 7.9 |
| XTC - Plus | XT1LCP-51 | 1 | 1.250 | 328 | 80.2 | 27.1 | 7.7 |
| XTC - Plus | XT1LCP-53 | 1 | 1.250 | 341 | 78.2 | 26.4 | 7.5 |
| XTH | 4XTH-11 | 4 | 1.215 | 64.1 | 39.9 | 11.8 | 3.9 |
| XTH | 4XTH-13 | 4 | 1.215 | 75.8 | 37.6 | 11.1 | 3.7 |
| XTH | 4XTH-15 | 4 | 1.215 | 87.6 | 32.5 | 9.6 | 3.2 |
| XTH | 4XTH-17 | 4 | 1.215 | 99.3 | 24.5 | 7.2 | 2.4 |
| XTH | 4XTH-19 | 4 | 1.215 | 111.0 | 29.4 | 8.7 | 2.9 |
| XTH | 4XTH-21 | 4 | 1.215 | 122.8 | 28.7 | 8.5 | 2.8 |
| XTH | 4XTH-23 | 4 | 1.215 | 134.5 | 32.8 | 9.7 | 3.2 |
| XTH | 4XTH-25 | 2 | 1.215 | 146.5 | 37.7 | 11.2 | 3.7 |
| XTH | 2XTH-27 | 2 | 1.215 | 158.2 | 37.9 | 11.2 | 3.7 |
| XTH | 2XTH-29 | 2 | 1.215 | 169.9 | 48.6 | 14.4 | 4.8 |
| XTH | 2XTH-31 | 2 | 1.215 | 181.7 | 46.7 | 13.8 | 4.6 |
| XTH | 2XTH-33 | 2 | 1.215 | 193.4 | 40.2 | 11.9 | 4.0 |
| XTH - Plus | 4XTHP-11 | 4 | 1.215 | 64.1 | 39.9 | 11.8 | 3.9 |
| XTH - Plus | 4XTHP-13 | 4 | 1.215 | 75.8 | 37.6 | 11.1 | 3.7 |
| XTH - Plus | 4XTHP-15 | 4 | 1.215 | 87.6 | 32.5 | 9.6 | 3.2 |
| XTH - Plus | 4XTHP-17 | 4 | 1.215 | 99.3 | 24.5 | 7.2 | 2.4 |
| XTH - Plus | 4XTHP-19 | 4 | 1.215 | 111.0 | 29.4 | 8.7 | 2.9 |
| XTH - Plus | 4XTHP-21 | 4 | 1.215 | 122.8 | 28.7 | 8.5 | 2.8 |
| XTH - Plus | 4XTHP-23 | 4 | 1.215 | 134.5 | 32.8 | 9.7 | 3.2 |
| XTH - Plus | 4XTHP-25 | 2 | 1.215 | 146.5 | 37.7 | 11.2 | 3.7 |
| XTH - Plus | 2XTHP-27 | 2 | 1.215 | 158.2 | 37.9 | 11.2 | 3.7 |
| XTH - Plus | 2XTHP-29 | 2 | 1.215 | 169.9 | 48.6 | 14.4 | 4.8 |
| XTH - Plus | 2XTHP-31 | 2 | 1.215 | 181.7 | 46.7 | 13.8 | 4.6 |
| XTH - Plus | 2XTHP-33 | 2 | 1.215 | 193.4 | 40.2 | 11.9 | 4.0 |
| XTHC | 4XTHC-11 | 4 | 1.250 | 64.1 | 41.1 | 13.9 | 3.9 |
| XTHC | 4XTHC-13 | 4 | 1.250 | 75.8 | 38.7 | 13.1 | 3.7 |

Hazardous Materials Quantities

| Product Line | Model | # of Cells per unit | Specific Gravity | Lead Weight per Cell (Lbs) | Electrolyte Weight per Cell (Lbs) | Pure Sulfuric Acid Weight per Cell (Lbs) | Electrolyte Volume per Cell (Gal) |
|--------------|-----------|---------------------|------------------|----------------------------|-----------------------------------|--|-----------------------------------|
| XTHC | 4XTHC-15 | 4 | 1.250 | 87.6 | 33.4 | 11.3 | 3.2 |
| XTHC | 4XTHC-17 | 4 | 1.250 | 99.3 | 25.2 | 8.5 | 2.4 |
| XTHC | 4XTHC-19 | 4 | 1.250 | 111.0 | 30.2 | 10.2 | 2.9 |
| XTHC | 4XTHC-21 | 4 | 1.250 | 122.8 | 29.5 | 10.0 | 2.9 |
| XTHC | 4XTHC-23 | 4 | 1.250 | 134.5 | 33.7 | 11.4 | 3.3 |
| XTHC | 2XTHC-25 | 2 | 1.250 | 146.5 | 38.8 | 13.1 | 3.7 |
| XTHC | 2XTHC-27 | 2 | 1.250 | 158.2 | 39.0 | 13.2 | 3.7 |
| XTHC | 2XTHC-29 | 2 | 1.250 | 169.9 | 50.0 | 16.9 | 4.8 |
| XTHC | 2XTHC-31 | 2 | 1.250 | 181.7 | 48.0 | 16.2 | 4.6 |
| XTHC | 2XTHC-33 | 2 | 1.250 | 193.4 | 41.4 | 14.0 | 4.0 |
| XTHC - Plus | 4XTHCP-11 | 4 | 1.250 | 64.1 | 41.1 | 13.9 | 3.9 |
| XTHC - Plus | 4XTHCP-13 | 4 | 1.250 | 75.8 | 38.7 | 13.1 | 3.7 |
| XTHC - Plus | 4XTHCP-15 | 4 | 1.250 | 87.6 | 33.4 | 11.3 | 3.2 |
| XTHC - Plus | 4XTHCP-17 | 4 | 1.250 | 99.3 | 25.2 | 8.5 | 2.4 |
| XTHC - Plus | 4XTHCP-19 | 4 | 1.250 | 111.0 | 30.2 | 10.2 | 2.9 |
| XTHC - Plus | 4XTHCP-21 | 4 | 1.250 | 122.8 | 29.5 | 10.0 | 2.9 |
| XTHC - Plus | 4XTHCP-23 | 4 | 1.250 | 134.5 | 33.7 | 11.4 | 3.3 |
| XTHC - Plus | 2XTHCP-25 | 2 | 1.250 | 146.5 | 38.8 | 13.1 | 3.7 |
| XTHC - Plus | 2XTHCP-27 | 2 | 1.250 | 158.2 | 39.0 | 13.2 | 3.7 |
| XTHC - Plus | 2XTHCP-29 | 2 | 1.250 | 169.9 | 50.0 | 16.9 | 4.8 |
| XTHC - Plus | 2XTHCP-31 | 2 | 1.250 | 181.7 | 48.0 | 16.2 | 4.6 |
| XTHC - Plus | 2XTHCP-33 | 2 | 1.250 | 193.4 | 41.4 | 14.0 | 4.0 |

Notes:

1. Electrolyte values given are estimated quantities designed to meet or exceed the reporting requirements of all known, applicable health and safety codes.
2. All values listed above are approximate values and are subject to change without notice.
3. Above information are C&D confidential information.